

BtM**Hand dryer + Soap dispenser****BTM12 (Closed)****BTM12 (Open)****General description BTM12:**

- Sanitary cabinet featuring a lockable mirror. Includes a high-speed hand dryer and touch-free soap dispenser, and LED pictograms.
- Cabinet made with a black matt finish DM black wood and have a front door that includes a mirror.
- The mirror has frontal backlit pictograms for each function (soap and air).
- The door top hung opened, is key locked and has 2 pneumatic pistons that helps the opening and closing process.
- Drastically reduces soap consumption.
- No physical contact, protecting users against cross contamination.
- Sensor settings for a soap dosage adjustable.
- A single electrical point is enough to power all the cabinet elements and pictogram backlights.
- If the mirror is broken no mirror pieces will fall down.
- Available with towel paper dispenser instead of hand dryer, model BTM13.
- Easy installation cabinet.

Components and materials:

- **AIR, hand dryer, Speedflow Plus (M17A-BTM24):** the eco-fast hand dryers range of product.
- **SOAP dispenser (DJ024BTM):** touch free electronic dispenser for a hidden installation behind the mirror.

Hand dryer, Speedflow Plus (M17A-BTM24)

- Operating rate 220-240V,50/60 Hz
- Total power 180-850 W
- Drying time, less than 12 seconds
- Automatic sensor range
- Finished: White
- Detection range, magnet adjustable
- Automatic safety cut-out, after 30 seconds of continuous use.
- Weight: 3.6 kg


Soap dispenser (DJ024BTM)

- Energy-efficient: Powered by a reliable 6 V power adaptor for long-lasting performance.
- Customizable settings: Easily adjust the soap outlet direction for optimal use and comfort.
- Soap viscosity (Gel:1-3.500 cps / Foam: 1-20 cps)
- Soap tank capacity: 1.8 l
- Suitable for other tank sizes, including standard 5 liter plastic drum (provided by user)
- Operating rate 220-240 V, 50/60 Hz
- 4x LR6 battery case (Optional)
- Detection range, magnet adjustable
- Weight: 3.8 Kg

Technical specifications (BTM12 Cabinet)

Weight	-
Material	DM black wood / glass
Air	See data sheet M17-BTM24
Soap	See data sheet DJ024BTM
Pictogram backlight	230V 50Hz 10W
Cabinet backlight	230V 50Hz 16W

Dimensions:



Dimensions: ± 4%

Operation behind the mirror cabinet

- Touch free electronic system. Soap dispenser and hand dryer are automatically active when user place their hands in the sensor range and stops when the users remove their hands.
- Active infrared sensing operation that also helps to optimize the flow rate soap and air and thereby supporting long-term ecological balance.
- Effective sensor range detection of 5-25 cm.



Hygienic



Adjustable
Setting



Easy to
install



ADA
designed

Mediclinics, S.A., reserves the right to make changes and/or modifications to the products and their specifications without prior notice. Review 10-25 Mediclinics S.A.

