



Water-supply automatic tap All-in-One, washbasin

mediclinics

EN

Ref. GA002AC/AB

Mounted on the washbasin

Water tap

OVERVIEW

- Automatic gooseneck-style water tap.
- Touch-free automatic operation helps optimize water flow.
- It can operate together with the M094AC/M094AB automatic hand dryer tap and/or the DJ002AC/DJ002AB automatic soap dispenser tap, or independently.

TECHNICAL DATA

Voltage	220 – 240 V
Frequency	50/60 Hz
Life battery	108.000 cycles
Water pressure	0,5 – 8 bars
Water flow (at 3 bar)	5,7 L/min
Range detection	5 – 25 cm



GA002AC

Chome-plated brass

Bright finish



GA002AB


Brass

Black finish

COMPONENTS AND MATERIALS

- Automatic water tap with a sensor located above the water outlet, which controls the valve to release the water.
- Operates with a 220–240 V (AC) power adapter or with four 1.5 V AA batteries (DC). Adapter and battery holder included.

DIMENSIONS



OPERATION

- Automatic operation using an infrared sensor with adjustable detection range.

PVD COATING AVAILABLE (consult us)



Mediclinics S.A. reserves the right to make changes or modifications to the products and their specifications without prior notice.



www.mediclinics.com



REVIEW: 12-25

Water-supply automatic tap All-in-One, washbasin




≡ GUIDE SPECIFICATION

Single unit consisting of a water tap for installation over the washbasin, made of brass with a bright chrome, black, or various PVD finishes. It features a sensor located above the water outlet that activates the flow of water. Operates at a frequency of 50/60 Hz and a voltage of 220–240 V, or with 4x LR6 1.5 V batteries. Water flow rate is 5.7 L/min. Motion detection distance is adjustable using a magnet between 5–25 cm. Complies with WRAS regulations.

☒ ASSEMBLY / RECOMMENDED INSTALLATION HEIGHTS

A sink that allows the installation of the All-in-One unit, as shown in the following figure, must be used:



The sink must have a depth of at least 120 mm, with vertical walls and edges that are not excessively rounded to prevent splashing.

⊗ CERTIFICATIONS



Mediclinics S.A. reserves the right to make changes or modifications to the products and their specifications without prior notice.



www.mediclinics.com



REVIEW: 12-25