



BA2130
White finish



BA2130B
Matte black finish



BA0130C
Bright finish



BA0130CS
Satin finish

General description

- Stainless steel 130° angled grab bar made of a 32 mm diameter tube and designed to provide relief and assistance around the bathroom.
- Stylish design making this grab bar ideal for the bathroom and other rooms in the house.
- Unique angled design provides support no matter the position.
- Durable, secure and stable, these grab bars provides confidence and stability when getting in or out of the bath or shower.
- 32mm diameter bar for easier gripping.
- Concealed fixings thanks to their beautiful snap flange covers.
- Optionally, they have a kit to avoid electrical conductivity, code KA0010 for grab bars BA2130 and BA2130B or code KA0020 for grab bars BA0130C and BA0130CS.
- Stainless steel nuts and bolts for masonry walls included.


Components and materials

- BA2130:** grab bar made of AISI 201 stainless steel tube, white epoxy finish.
- BA2130B:** grab bar made of AISI 201 stainless steel tube, matte black epoxy finish.
- BA0130C:** grab bar made of AISI 304 stainless steel tube, bright finish.
- BA0130CS:** grab bar made of AISI 304 stainless steel tube, satin finish.
- TUBING:** made of 32 mm diameter tube, seamless construction. The bending process guarantees the uniformity of the diameter along the bends.
- CONCEALED WALL BRACKET:** two units made of steel (BA0130) or stainless steel AISI 304 (BA0130C and BA0130CS), 3 mm thick. Incorporates three (BA0130) or two (BA0130C and BA0130CS) screws holes for wall mounting.
- SNAP FLANGE COVER:** two units made of white Polypropylene, 1.5 mm thick and Ø 85 mm (BA0130) or stainless steel AISI 304, 0.8 mm thick and Ø 82 mm (BA0130C and BA0130CS). Each cover snaps over mounting flange to conceal mounting screws.

Technical specifications

Bar diameter	Ø 32 mm
Wall bracket thickness	3.0 mm

Dimensions




Ref. / Code	L(X)	Ø(Y)	Material	Acabado Finish
BA2130	625mm	85mm	Acero Inox Stainless steel	Epoxi blanco White epoxy
BA2130B	625mm	85mm		Epoxi negro Black epoxy
BA0130C	622mm	82mm		Brillante Bright
BA0130CS	622mm	82mm		Satinado Satin


Dimensions: ± 4%

Fix the grab bar to the wall through the 3 or 2 holes of the wall brackets to the wall, using the screws provided and taking into account the distances of the points indicated by an "S" in the following figure:

Technical drawing of a V-shaped bracket. The drawing shows two views: a top view (left) and a side view (right). The top view shows a V-shape with a vertex angle of 130°. The distance from the vertex to the center of each circular end is 298. The total width of the bracket at the ends is 611,50. The distance between the centers of the two circular ends is 540. The diameter of the circular ends is $\phi 85$. The side view shows the bracket's profile with a height of 179,1 and a base width of 136,6. The side view also shows the circular end with a diameter of 85 and a center-to-center distance of 172,4. The side view is labeled 'A'.



Technical drawing of a V-shaped mechanical part. The drawing shows two main arms of the V, each with a length of 298. The angle between the arms is 130°. The total width at the top is 609,4, and the width at the base is 540. The height of the part is 176,2, with a dimension of 136,7 shown for the lower section. The part features four circular features, each labeled 'S', and a central circular feature labeled 'B'. A dimension of $\phi 82$ is indicated for the central feature.



Mediclinics is not responsible for corrosion that may appear on the bars caused by abrasion on the anchorage points because of an improper installation.